

Table of Contents

A01 - Table of Contents

A02 - Visual Plans - Exterior NE & SW

A03 - Visual Plans - Interior North & South

A04 - Visual Plans - Interior From East

A05 - Visual Plans - Interior From West

A06 - Elevations - Exterior North

A07 - Elevations - Exterior East

A08 - Elevations - Exterior South

A09 - Elevations - Exterior West

A10 - Elevations - Interior N View: Near

A11 - Elevations - Interior N View: Middle & Far

A12 - Elevations - Interior East View

A13 - Elevations - Interior East View - Hidden

A14 - Elevations - Interior S View: Near

A15 - Elevations - Interior S View: Middle & Far

A16 - Elevations - Interior West View

A17 - Elevations - Interior West View - Hidden


A18 - Lighting - Lower

A19 - Lighting - Upper

A20 - Roof

A21:A40 - Visual A: Visual T





Visual Plans - Exterior North-East & South-West

Model Type: Basecamp


Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans

Date: 2025


North View


South View






Visual Plans - Interior North & South






Visual Plans - Interior from East

Model Type: Basecamp







Visual Plans - Interior from West

Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans

Date: 2025





Elevations - Exterior North

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans

Date: 2025





Elevations - Exterior East

Model Type: Basecamp






Elevations - Exterior South


Model Type: Basecamp





Elevations - Exterior West





Elevations - Interior North View: Near

Model Type: Basecamp


Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans


Date: 2025






A






Elevations - Interior North View: Middle & Far

Model Type: Basecamp






Elevations - Interior East View

Model Type: Basecamp

Designer Name: BTH Client Name(s): N/A Project Number: N/A Draft: Base Visual Plans

Date: 2025






Elevations - Interior East View - Hidden

Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans
Date: 2025

13







Elevations - Interior South View: Near

Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans

Date: 2025







Elevations - Interior South View: Middle & Far

Model Type: Basecamp

Designer Name: BTH Client Name(s): N/A Project Number: N/A Draft: Base Visual Plans Date: 2025

15






Elevations - Interior West View

Model Type: Basecamp

Designer Name: BTH Client Name(s): N/A Project Number: N/A Draft: Base Visual Plans Date: 2025

16





Elevations - Interior West View - Hidden

Model Type: Basecamp



Color of light corresponds with switch colors in model

Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

Lighting - Lower

Model Type: Basecamp

Designer Name: BTH Client Name(s): N/A Project Number: N/A Draft: Base Visual Plans Date: 2025

18

⋖




Color of light corresponds with switch colors in model

Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

Lighting - Upper

Model Type: Basecamp





Roof


Model Type: Basecamp

Designer Name: BTH Client Name(s): N/A Project Number: N/A Draft: Base Visual Plans Date: 2025

N/A

A





Visual A

Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans
Date: 2025

21

A





Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

Visual B

Model Type: Basecamp






Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

Visual C

Model Type: Basecamp






Visual D

Model Type: Basecamp





Visual E

Model Type: Basecamp

Designer Name: BTH Client Name(s): N/A Project Number: N/A Draft: Base Visual Plans Date: 2025

25






Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

Visual F

Model Type: Basecamp





Visual G

Model Type: Basecamp





Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

Visual H

Model Type: Basecamp






Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

Visual I

Model Type: Basecamp





Visual J


Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans

Date: 2025

30






Visual K

Model Type: Basecamp





Visual L


Model Type: Basecamp

Designer Name: BTH Client Name(s): N/A Project Number: N/A Draft: Base Visual Plans Date: 2025

32

A





Visual M

Model Type: Basecamp





Visual N

Model Type: Basecamp






Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

Visual O

Model Type: Basecamp





Visual P

Model Type: Basecamp

Designer Name: BTH Client Name(s): N/A Project Number: N/A Draft: Base Visual Plans Date: 2025

36





Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

Visual Q

Model Type: Basecamp

Designer Name: BTH Client Name(s): N/A Project Number: N/A Draft: Base Visual Plans Date: 2025

37





Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

Visual R


Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans

Date: 2025

38






Visual S

Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans
Date: 2025





Visual T

Model Type: Basecamp

Designer Name: BTH Client Name(s): N/A Project Number: N/A Draft: Base Visual Plans

Date: 2025

40





Specification Sheet

Exhibit A

Project Number: Basecamp Model

Client Name(s): N/A

Designer Name: BTH

Date: 2025

Information you will find here:

Topics

Home Snapshot

Utilities & Safety

Paint & Stain Key

Interior Finishing

Exterior Finishing

Bathroom

Kitchen

Main Area

Lofts

Lighting

Outlets

Switches

HVAC

Roofdeck & Exterior

Windows

Doors

COUNTRY INY HOMES ×

2016 •

Home Snapshot

Trailer and Structure Dimensions as well as Technical Specifications

⊙ Item	⊙ Description
First Floor SQFT	204sq. ft.
Total SQFT	437sq. ft. (Includes lofts, decks, etc. where applicable)
Total Home LxWxH	32.5' x 8'-6" x 13'-5" (includes trailer tongue) - Approx. 17'h with removable Roofdeck railings
Trailer LxW	28'-0" × 8'-2"
GAWR & Axles	Dual 7K axles; 14K GAWR
Trailer Type & Hitch	Bumperpull Trailer w/ Recessed Subfloor - Black
Trailer Connections	Custom D-rings welded to trailer around perimeter (earth anchors not included)
Trailer Connections	(4) corner jacks
Trailer Insulation	R-35 Rigid foam or closed-cell spray foam
Wall Insulation	R-15 Mineral wool insulation
Interior Insulation	Frost wall insulated with R-15 mineral wool
Roof Insulation	Closed cell spray foam insulation, R-38
Trailer Framing	16" O.C. metal trailer tubing with steel flashing pan
Wall Framing	24" O.C. wood advanced framing
Roof Framing	16" O.C. 2x6 wood framing

Utilities & Safety

Utility Details and well as Fire, Health, and Life Safety Specifications

⊙ Item	n	⊙ Description	Location	TT Additional Notes
Electrical Conn	nection	RV 50amp/220V twist & lock electrical plug	North Wall	
Water Connec	ection	RV city water inlet	West Wall	
Water Heat	ter	Rinnai 5.3 GPM 140,000 BTU 120 Volt Liquid Propane Tankless Water Heater	Bathroom, west wall	RE140iP
Sewer Connec	ection	(1) RV 3" waste gate valve	Along West edge of trailer	
Gas Alarn	m	Gas & Carbon Monoxide Detector	Dining Area	
Smoke Alar	rm	Smoke Detector, Hardwired	Loft & Kitchen/ Living	(2) total
Fire Extinguis	sher	Home (1-A:10-B:C) Class ABC 3.9 (lb.) Fire Extinguisher	By front door	
Travel		Tie downs/d-rings for large appliances		
Fire Ladde	er	Kidde Fire Escape 2-Story Ladder, Escape Ladder, 13-Foot Anti-Slip Rungs, Rope Ladder (to be stored by THO)		,
Hitch Lock	k	Universal Coupler Trailer Hitch Lock, Heavy-Duty Steel Fits 2-5/16" Couplers, Yellow		
Gas Connect	tion	2-stage regulator propane gas connection with (2) pigtails (tanks not included) with frost protector	North Wall	



Paint & Stain Key

Paint, Stain, and Sealant specifications for both interior and exterior of the home.

The Item Numbers below will be used through out this specification sheet.

⊙ Item	Location	Color	Tr Description	Notes
Stain #1	Exterior cedar T&G siding and decking	Canyon Brown	Olympic - Transparent Exterior Stain	
Stain #2	Stair treads	Dark Walnut	Varathane Classic Wood Interior Stain	Stain to match flooring
Sealant #1	All interior T&G Pine siding	Clear	Interior water based polyurethane	satin finish

PACKCOUNTRY *TINY HOMES *

Interior Finishing

Interior siding, flooring, and trim specifications

See Paint & Stain Key for Color Numbers

•	Item	Location	⊙ Material	Color	Notes
N	atural Pine	All interior walls & ceiling	s 1x8 STK Pine T&G WP4 V-Groove	Sealant #1	Natural finish
LV	/P Flooring	All interior floors	Lifeproof - 22 mil x 8.7 in. W x 48 in. L Click Lock Waterproof Luxury Vinyl Plank Flooring	Lipian Hill Hickory	
Windo	ow & Door Trim	All interior windows & doors	Colonial - Natural Wood Pine Casing WM 351 11/16 in. x 2-1/2 in.	Sealant #1	Natural finish
Flo	ooring Trim	All interior floors	Natural Wood Pine Quarter Round Moulding WM 105 3/4 in. x 3/4 in. x 96 in.	Sealant #1	Natural finish

BACKCOUNTRY * TINY HOMES * 2016

Exterior Finishing

Exterior siding, roofing, and trim specifications

•	Item	Location	⊙ Material Type	Color
	Roofing	Whole roof	36" Everlast Omni Panel	lvy
	Cedar Siding	E and N walls	1x6 STK Knotty Cedar T&G WP4 V-Notch	Stain #1: Canyon Brown
	Metal Siding	E, W, and S walls	36" Everlast Omni Panel	lvy
	Cedar Trim	Front Door	5/4 x 4 Knotty Cedar Exterior Trim	Stain #1: Canyon Brown
	Metal Trim	Windows, doors, and transitions	J-Channel #06 Everlast Siding Trim	lvy
Z	Metal Trim	Roof edge	Denver Gable #93 Everlast Roofing Trim	lvy
	Metal Trim	Roof edge	Gutter Apron #29 Everlast Roofing Trim	lvy
	Metal Trim	Roof transitions	Formed Valley #19 Everlast Roofing Trim	lvy
	Metal Trim	Wall Base	Drip Cap #09 Everlast Siding Trim	lvy
	Metal Trim	Corners	Rake & Corner #02 Everlast Siding Trim	lvy



Bathroom

Bathroom and Laundry Area Specifications

Appliances & Furnishings	○ Description	Tr Color / Finish	Tr Model #	Tr Notes
Toilet	American Standard Cadet 3 FloWise Right Height 2-Piece 1.28 GPF Single Flush Elongated Toilet in White with Slow Close Seat	White		
Laundry	Splendide Combo Washer/Dryer, Vented	White	WDV2200XCD	
Sink Vanity	IKEA Havback Bathroom vanity with drawers, 36x21x25 1/8"	White	805.352.20	
Sink & Drain	IKEA Orrsjon Sink, 37x21 3/4" with silver drain	White	705.451.06	
Sink Faucet	IKEA Glypen Bath faucet	Chrome	104.571.93	
Shower Pan & Drain	42" Alcove shower pan base with center drain	White pan with silver drain		
Shower Walls	Direct-to-Stud Alcove Shower Surround in High Gloss White			
Shower Cover	Shower curtain rod - curtain not included	Silver / Chrome		
Showerhead	Single-Handle Shower Faucet (Valve Included)	Silver / Chrome		
Hardware	IKEA Billsbro Handle, 21"	Stainless steel color	203.236.31	Sink vanity handles
Hardware	Toilet paper holder, towel ring, and 24" towel bar	Silver / Chrome		
Medicine Cabinet	IKEA Enhet Mirror cab/2 door, 24x6 3/4x30 "	White	694.346.61	
Storage	BTH Custom wall cabinet frame, comprised of sanded cabinet grade plywood - Sealant #1 - IKEA Veddinge cover panels, white			
Storage	IKEA Veddinge doors, white, 24x40" with silver handle			

*TINY HOMES *

Kitchen

Kitchen Specifications

AppliancesFurnishing		TT Color / Finish	Tr Model #	T _T Notes
Cooktop	Gasland 12" Electric cooktop, 240V	Black	CH30BF-N1	
Cooking Vent	Broan-NuTone F40000 24 in. 230 Max Blower CFM Convertible Under-Cabinet Range Hood with Light	Stainless Steel	F402404	
Fridge / Freezer	Medium - Vissani 10.1 cu. ft. Top Freezer Refrigerator	Stainless Steel	MDTF10SS	
Kitchen Sink	IKEA Langudden Sink, single bowl, 22x20 5/8 "	Stainless Steel	891.574.84	
Faucet	Single handle, high arc, standard faucet	Silver		
Base Cabinet	IKEA Sektion Base cabinet for sink, 24x24x30 "	Veddinge White	794.681.65	
Base Cabinet	(2) IKEA Sektion Base cabinet with shelves, 24x24x30"	Veddinge White	494.601.80	
Base Cabinet	IKEA Sektion / Maximera Base cabinet w 3 fronts/4 drawers, 15x24x30 "	Veddinge White	790.381.61	
Base Cabinet	IKEA Sektion Base cabinet with shelves, 12x24x30"	Veddinge White	894.597.97	
Cover Panels	IKEA Sektion cover panels of varying sizes, as needed	Veddinge White		
Cabinet Toekick	(2) IKEA Forbattra Toekick, 84x4 1/2 "	Matt White	904.177.54	
Countertop	IKEA Ekbacken Countertop, laminate, (1) 74" and (1) 98"	Light gray concrete effect	803.954.46 & 603.954.47	Amount includes extra needed for Dining Area table
Backsplash	Ceramic 3x6 subway tile	White, Glossy	7	White grout with silver trim
Hardware	(12) Solid Bar 3-3/4 in. Cabinet Drawer Bar Pulls	Silver		Amount includes handles needed in living area and bathroom
Shelving	(2) BTH Custom wall shelves comprized of whitewood hardwood and black L brackets	Sealant #1		24" & 63"W x 12"D

*TINY HOMES *

Main Area

Living and Dining Area Specifications

⊙ Furnishings	Tr Description	Tr Color / Finish	Tr Additional Notes
Sofa	IKEA Friheten Sleeper sectional,3 seat w/storage (or equal)	Faringe light gray	695.170.48
Table	BTH Custom table comprised of IKEA Ekbacken countertop, laminate, with white support apron, and (2) IKEA Olov adjustable leg, white.	light gray concrete effect	
Chairs	(2) IKEA Lisabo Chairs	Ash	004.572.35
Storage	IKEA Wall top cabinet frame, 24x24x15"	Veddinge White	
Storage	IKEA Wall top cabinet frame, 30x24x15"	Veddinge White	
Storage	IKEA Sektion High cabinet with shelves/2 doors, 18x24x90 "	Veddinge White	
Storage	IKEA Cover panels as needed	Veddinge White	

BACKCOUNTRY *TINY HOMES*

_()T	TS

Stair Specifications as well as both Bedroom and Storage Loft Specifications

⊙ Furnishings	Tr Description	Tr Color / Finish	Тт	Model #	T _T Additional Notes
Bed	Area fits a Queen mattress - mattress not included				
Stair Railing	Cable railing with Black metal terminal posts and wood handrail	Handrail: Sealant #1			
Stair Fabrication	Custom storage stairs comprised of hardwood boxes and treads.	Treads: Stain #2			
Stair Storage	(9) open cubbies for storage, including 25" hanger rod	Sealant #1			
Loft Edge Barrier	BTH Custom whitewood hardwood railings.	Sealant #1			
Ladder	MMC Straight Ladder, aluminum, with attachment hooks	Silver			"grab bars" on E. wall and loft edge for anchoring and storage

HICKLUUN HY * TINY HOMES *

Lighting

Light Fixture Specifications and Locations

○ Fixture	Amt	Location	○ Description	Tr Color	Model #	Tr Additional Notes
Disc Light	(3)	Bathroom	4" LED disk lights, dimmable	White	N/A	Soft-white lighting color
Disc Light	(5)	Main Area & Storage Loft	4" LED disk lights, dimmable	White	N/A	Soft-white lighting color
Disc Light	(1)	Above Sofa	4" LED disk lights, dimmable	White	N/A	Soft-white lighting color
Disc Light	(2)	Kitchen	4" LED disk lights, dimmable	White	N/A	Soft-white lighting color
Disc Light	(3)	Bed Loft	4" LED disk lights, dimmable	White	N/A	Soft-white lighting color
Porch Light	(1)	Above front door, exterior	Project Source Morlake 8.25-Inches H Hardwired Outdoor Wall Light	Black	40683	LED Bulb inlcuded

BACKCOUNTRY * TINY HOMES * X

Outlets

Interior and Exterior Outlet Specifications

	⊙ Outlet	Count	Tr Use / Details	
Bathroom	Outlet	(2)	(1) General use; (1) designated for wall heater and future installation of composting toilet	Standard 15amp Outlet
Bathroom	Appliance Outlet	(1)	For Washer/ Dryer	120V outlet with designated circuit
Bathroom	Appliance Outlet	(1)	for Water Heater	120V outlet with designated circuit
Kitchen	Outlet	(2)	Countertop general use	Standard 15amp Outlet
Kitchen	Appliance Outlet	(3)	Cooktop, hoodvent, and fridge.	120V outlet with designated circuit
Living Area	Outlet	(3)	(2) General use - (1) designated for thermostat	Standard 15amp Outlet
Dining Area	Outlet	(1)	Designated for gas alarm	Standard 15amp Outlet
Dining Area	Wall Jack	(1)	Internet connection	RG6 connection - Wall Jack with F-Type Coaxial Connector
Bed Loft	Outlet	(3)	(2) General use - (1) with nightlight cover in stairs	Standard 15amp Outlet
Storage Loft	Outlet	(1)	General use	Standard 15amp Outlet
Outdoor	Exterior Wall Jack	(1)	Located on South wall	RG6 connection with bubble cover - Wall Jack with F-Type Coaxial Connector
Outdoor	Exterior Outlet	(2)	General use - South wall and Roofdeck Area	Exterior rated outlet with bubble cover



Switches

Light and Power Switch Specifications

	⊙ Switch	Count	Tt Use	○ Description
Living & Entry	Electrical Panel	(1)		Amp 100-Space 20-Circuit Main Breaker Load Center
Living & Entry	Thermostat	(1)	Main area heating control	Flair, Puck Smart Thermostat with wall plug for Minisplit
Living & Entry	Light Switch	(2)	Bedroom Loft lights and Porch light	Non-dim Paddle Switch
Living & Entry	Light Switch	(2)	Main Area lights and Sofa light	Dimming Paddle Switch
Living & Entry	Power Switch	(1)	Whole house vent on/off	Non-dim Paddle Switch
Kitchen	Light Switch	(2)	Kitchen and Living Area lights	Dimming Paddle Switch
Bathroom	Light Switch	(1)	Bathroom lights	Dimming Paddle Switch
Bathroom	Power Switch	(1)	Bathroom vent fan on/off	Non-dim Paddle Switch
Bed Loft	Light Switch	(1)	Bedroom Loft lights	Dimming Paddle Switch

BACKCOUNTRY *TINY HOMES*

HVAC

Heating, Ventalation, and Air Conditioning Specifications

<u></u>	Item	⊙ Description	Location	Additional Notes	
	Bathroom Vent	Panasonic WhisperValue DC Pick-A-Flow 50-100 CFM Ceiling or Wall, Very Low Profile Exhaust Fan with Condensation Sensor	Bathroom		
	House Vent	Panasonic WhisperValue DC Pick-A-Flow 50-100 CFM Ceiling or Wall, Very Low Profile Exhaust Fan with Condensation Sensor	Stairwell, East wall		
	Panel Heater	Envi 120v Plug-in Electric Panel Wall Heater - 500 Watts	Bathroom	Bathroom heat source for plumbing winterization	
	Minisplit	18,000 BTU 220V interior wall mount unit	Main Area, West wall	Primary heat source and Air Conditioning	



Roofdeck & Exterior

Specification of Roofdeck and other exterior items

0	Furnishings	Tr Description	Color	Location	Additional Notes
	Ventilation	(3) louver vents: whole house vent, bath vent, and dryer vent	White	E/ W walls	
	Ventilation	(2) Exhaust vents: cooking vent and water heater vent	-	E / W walls	
	Ventilation	(2) drainage vents	White	Roof	
	Entry Stairs	Custom exterior entry stairs with railings, comprised of PT lumber	Stain #1	Main Entry	Stairs to be assembled by homeowner
	Roof Deck Decking	Econodek Waterproof Vinyl Decking	Select Brown Timber	Roofdeck	
	Roof Deck Stairs	2x6x8 Pressure Treated Ground Contact #1 and 4x4x12 KD Doug Fir S4S	Stain #1	Roofdeck	
/	Roof Deck Railings	BTH Custom cedar railings with black aluminum balusters. Custom milled metal mounting block for roof deck terminal posts attached permanently to roof deck.	Stain #1	Roofdeck	Roofdeck railings must be removed for transit; Limited removals allowed before railing hardware will need to be replaced
	Heating / Cooling	18, 000BTU Minisplit Exterior Unit	White	North Wall	Line set for minisplit exposed on north covered with line set cover; white. During travel, minisplit exposed on north wall to be covered with temporary cover.

BACKCOUNTRY * TINY HOMES *

V	V	i	n	Ч	<u></u>	\A	IS
w	w	ш		w	u	A'A	

Window Schedule

Window	Tr Cour	nt Size	⊙ Opening Type	Color / Material	Glass Type	Location
Window A - Egress	(1)	54"w x 42"h	XO Glider	White Vinyl	Clear, Tempered	W. Wall, Living Area
Window B	(1)	83"w x 42"h	Fixed / Picture	White Vinyl	Clear, tempered	S. Wall, Living Area
Window C	(1)	47"w x 42"h	XO Glider	White Vinyl	Clear, tempered	W. Wall, Dining Area
Window D	(2)	30"w x 24"h	XO Glider	White Vinyl	Clear, tempered	E. Wall, Kitchen and Storage Loft
Window E	(1)	60"w x 24"h	XO Glider	White Vinyl	Clear, tempered	E. Wall, Bed Loft
Window F	(1)	60"w x 18"h	XO Glider	White Vinyl	Clear, tempered	W. Wall, Bed Loft
Window G	(1)	21"w x 24"h	Awning	White Vinyl	Clear, tempered	E. Wall, Bathroom

BACKCOUNTRY * TINY HOMES * 2016

Doors

Door Schedule

Item	Тт	Count	Model / Description	Size	⊙ Opening Type	Color	Location
Front Door		(1)	Full View - Smooth Fiberglass - white weather strip; sliver sil and hinges	36" x 80"	RH Outswing	White	East Wall
Bathroom Door		(1)	Flush hardwood hollow-core panel	24" x 80" - cut to size	Pocket Door	Sealant #1	
Roofdeck "Hobbit" Door		(1)	BTH Custom Hardwood Slab Door	24" x 34"	RH Outswing	Stain #1	North wall, loft access to Roofdeck
Exterior Door Handles		(2)	Contemporary lever handle with matching deadbolt			Silver	
Pocket Door Handle		(1)	Standard pocket door pull handle with locking mechanism			Silver	Bathroom Door

